



One Arizona Center Phoenix, Arizona 85004-2202 (602) 382-6000 Fax: (602) 382-6070

Jeffrey W. Crockett (602) 382-6234 Internet: jcrockett@swlaw.com RECEIVED

7560 OCT 13 P 4:48

AZ CORP COMMISSION DOCUMENT CONTROL PTICENIA, ARIZONA

Arizona Corporation Commission DOCKE RYME-CALIFORNIA

October 13, 200 DOCKETED BY
Via Hand Delivery

Anthony Gatto Utilities Division ARIZONA CORPORATION COMMISSION 1200 West Washington Street Phoenix, Arizona 85007

Re: OnePoint Services, L.L.C. (Docket No. T-03855A-00-0169/Local Exchange)
OnePoint Services, L.L.C. (Docket No. T-03855A-00-0170/Long Distance)

Dear Anthony:

In your two letters each dated September 14, 2000, you requested that OnePoint Services, L.L.C. ("OPS" or the "Company"), provide additional information regarding the Company's above-referenced applications for a certificate of convenience and necessity ("CC&N") to provide competitive resold local exchange service and resold long distance service in Arizona. Set forth below are the responses of OPS to items A through E of your letters. As you know, OPS currently provides resold long distance service in Arizona via the sale of pre-paid long distance calling cards. However, OPS has not commenced providing competitive resold local exchange services in Arizona pending issuance of a CC&N by the Arizona Corporation Commission. Since all of OPS' assets are currently being used to provide resold long-distance service, the Company has not attempted to separately identify plant and equipment used to provide resold long distance service and plant and equipment that will be used to provide resold local exchange service. If requested by the Commission, this classification of plant and equipment will be provided at the time OPS is prepared to begin providing resold local exchange service.

A. Please provide the value of all plant and equipment currently held by the Company, intended to be used to provide regulated telecommunications service to Arizona customers.

The approximate value of all plant and equipment currently used by OPS to provide regulated telecommunications service in Arizona is \$1,015,019. OPS intends to purchase additional equipment in the approximate amount of \$250,000 prior to the end of 2000, bringing the Company's anticipated year-end investment to approximately \$1,265,019.

Snell & Wilmer

Anthony Gatto October 13, 2000 Page 2

B. Please provide a description of each asset described in response to item A above, including the asset's cost and location.

A general description of the plant and equipment currently used by OPS to provide regulated telecommunications service in Arizona, including the cost of that plant and equipment, is attached to this letter as Attachment "A." Substantially all of the plant and equipment identified in Attachment "A" is located at the Company's Arizona office at the following address:

300 West Osborn Suite 101 Phoenix, Arizona 85013

C. Please provide the projected value of all plant and equipment to be used to provide regulated telecommunications service to Arizona customers at the time the Company begins serving its first customer.

As set forth above, OPS currently provides resold long distance service to customers in Arizona via pre-paid long distance calling cards. The current value of the plant and equipment used by OPS to provide resold long distance service is \$1,015,019, with additional planned purchases totaling approximately \$250,000 by the end of 2000. OPS will likely purchase additional plant and equipment in order to provide resold local exchange service in the future, but the Company does not have an estimate of the cost of the plant and equipment at this time.

D. Please provide a description of each asset described in response to item C above, including the assets cost and location.

See the response to item B above, including Attachment "A" to this letter.

E. Please explain how the value of the Company's plant and equipment is related to its proposed rates.

The rates and charges set forth in the Company's proposed tariff filed with the above-referenced applications were determined based upon the amount or revenue that would be required to cover all of the Company's operational and overhead expenses (including depreciation and operating leases on plant and equipment and debt service) and to generate a reasonable profit for the Company, which would not, under the circumstances, produce an unreasonable or excessive return on the above-identified plant and equipment investment.

Snell & Wilmer

Anthony Gatto October 13, 2000 Page 3

I trust that the information provided herein is responsive to your questions. Please do not hesitate to contact me at the direct line listed above if I can provide any additional information. Pursuant to your instructions, I am filing an original an ten copies of this letter in each of the dockets referenced above.

Very truly yours,

SNELL & WILMER

eff Crockett

Jeffrey W. Crockett

JWC:gdb Enclosures

cc:

Tim Ostrowski (with enclosures)

Richard Kolb (with enclosures)

904538.1

ATTACHMENT A

One Point Services, LLC

	One Fount Services, LLO			
Qty	Desc	Value		
1	3COM SUPERSTACK 3300 10/100 SWITCH W/FIBER EXTENSION MODULE	1,700.00		
1	E MARK CYRX 333MHZ W/ 32 RAM	550.00		
1	15" TEST BENCH MONITOR	50.00		
1	E MARK CYRX 333MHZ W/ 32 RAM	550.00		
1	200' 6 STRAND FIBER OPTIC CABLE	400.00		
1	APPRO RACK MOUNT SUB CASE W/ PASSIVE BACKPLATE RII 350 ON SBC 2	700.00		
	PCS. 4.3 GB H.D.			
1	PC AMD5 133 MHZ W/ 32MB RAM	270.00		
1	PC PENTIUM 120MHZ W/NO RAM	220.00		
1	PC AMD K6 200MHZ W/64MB RAM	270.00		
1	HEWLETT PACKARD SCANJET 4P	400.00		
1	DIALOGIC DUAL SCAN DTI 480SC	130.00		
1	DIALOGIC DUAL SCAN DTI 480SC	130.00		
1	BI COM 4 LSB 4 PORT ANALOG CARD	125.00		
1	ACCESS ISOPORT EXTERNAL BOARD	100.00		
1	BI COM 4 LSB 4 PORT ANALOG CARD	125.00		
1	5 PORT ANALOG DIALOGIC BOARD	100.00		
1	ROCHELLE 6 PORT CALLER ID BOX	120.00		
8	WESTERN DIGITAL 2.1 GIG SCSI H.D.	800.00		
4	P233 MHZ W/MMX CPU'S	1,600.00		
3	P166 MHZ CPU	1,050.00		
1	PII 266 MHZ CPU	400.00		
1	PII 350 CPU	500.00		
7	2 GB HARD DRIVES	700.00		
3	1.2 GB HARD DRIVES	225.00		
4	.6 GB HARD DRIVES	200.00		
5	3.2 GB HARD DRIVES	500.00		
12	STICKS 16 MB EDO SIMMS	480.00		
8	STICKS 32 MB EDO SIMMS	400.00		
7	STICKS 8 MB EDO SIMMS	175.00		
3	STICKS 256K CACHE MEMORY	150.00		
1	STICKS 32 MB PC 100 DIM	50.00		
1	STICKS 64 MB PC 66 DIM	100.00		
5	STICKS 64 MB EDO SIMMS	600.00		
2	4.3 GB HARD DRIVES	250.00		
6	10/100 NETWORK CARDS	660.00		
14	VIDEO CARDS 4 MB	560.00		
7	CSU/DSU MONITORING UNITS	840.00		
	KEYBOARDS	440.00		
10	33.6 MHZ EXTERNAL MODEMS	250.00		

1	GAMMA LINK PC TO FAX CARD	60.00
5	PENTIUM SINGLE BOARD COMPUTER	1,500.00
2	DUAL PENTIUM SBC'S W/CONTROLLER	800.00
6	PENTIUM SOCKET 7 MOTHERBOARDS	1,200.00
1	15" MONITOR	75.00
1	4 GB SEAGATE CHEETAH HOTSWAP H.D.	125.00
1	MAIN SWITCH ROOM EQUIPMENT (Total includes next 62 lines)	345,000.00
1	C-NET POWER SWITCH CNS H200	
1	MAX TECH 10 BASE 16 PORT HUB	
1	CISCO 2500 SERIES SWITCH	
2	3 COM SUPERSTACK 500 10/100 BASE HUB	
1	3 COM SUPERSTACK II SWITCH 3300 10/100 W/FIBER EXTENSION LINE	
1	FLO POINT 2200 SWITCH	
1	APPRO SWITCH CASE PENTIUM II 360 MHZ W/128 MB RAM	
1	DELL POWER EDGE 6350 DUAL PENTIUM II 400 XEON PROCESSOR RAID 5	
	W/2 HOT SWAP	
	POWER SUPPLIES, 1 GB RAM & 15" MONITOR	
1	APC BACK UPS PRO-6 PLUG UPS	
2	4 BAY RACK	
1	3 BAY RACK	
1	TELECT POWER DISTRIBUTION CENTER	
1	SOLA POWER UNIT	
4	AYDIN 4 TO 1 MUX W/POWER SUPPLY	
3	4511 TCODER	
1	TRIPP LITE POWER PROTECTION - 8 PLUG UPS	
10	ORTRONICS CAT5 PATCH PANELS	
2	15" MONITORS	
1	PENTIUM 233 128MB RAM INCL: (COLBY) (192/384)	
	APPRO RACK MOUNT SWITCH CASE	
	PASSIVE BACK PLANE SBC	
	4 PCS DIALOGIC DUAL SPAN D/240 SC2T1	
	2 PCS DIALOGIC DUAL SPAN D/480 SC2T1	
	2 PCS DIALOGIC DUAL SPAN DTI/480 SC2T1	
1	PENTIUM 233 128MB RAM INCL: (MEXICO TANDEM) (160/336)	
	APPRO RACK MOUNT SWITCH CASE	
	PASSIVE BACK PLANE SBC	
	7 PCS DIALOGIC DUAL SPAN D/240 SC2T1	
1	PENTIUM 233 128MB RAM INCL: (INTERNATIONAL TANDEM) (168/336)	
	APPRO RACK MOUNT SWITCH CASE	
	PASSIVE BACK PLATE SBC	
	1 PC DIALOGIC DUAL SPAN D/240 SC2T1	
	1 PC DIALOGIC DUAL SPAN D/245 SC2T1	
	CONFERENCE BOX	
	3 PCS DIALOGIC DUAL SPAN DTI/480 SC2T1	
1	PENTIUM 233 64MB RAM INCL: (INTERNATIONAL) (120/268)	
	APPRO RACK MOUNT SWITCH CASE	

	PASSIVE BACK PLANE SBC	
	5 PCS DIALOGIC DUAL SPAN D/240 SC2T1	
-	1 PC DIALOGIC DUAL SPAN DT/480 SC2T1	
1	6 INPUT DATA SWITCH-RACK MOUNTED	
1	6 INPUT DATE SWITCH-RACK MOUNTED	
1	PENTIUM 266 256MB RAM INCL: (DOMESTIC) (192/384)	
	APPRO RACK MOUNT SWITCH CASE	
	PASSIVE BACK PLANE SBC	
	8 PCS DIALOGIC DUAL SPAN D/240 SC2T1	
1	PENTIUM 233 196MB RAM INCL: (GUAD) (192/384)	
	APPRO RACK MOUNT SWITCH CASE	
	PASSIVE BACK PLANE SBC	
	6 PCS DIALOGIC DUAL SPAN D/240 SC2T1	
	1 PC DIALOGIC DUAL SPAN D/480 SC2T1	
	1 PC DIALOGIC DUAL SPAN DTI/480 SC2T1	
1	PENTIUM 266 256MB RAM INCL: (LOCAL) (168/384)	
1	APPRO RACK MOUNT SWITCH CASE	
-	PASSIVE BACK PLANE SBC	
	3 PCS DIALOGIC DUAL SPAN D/240 SC2T1	
	2 PCS DIALOGIC DUAL SPAN D/480 SC2T1	
	3 PCS DIALOGIC DUAL SPAN DTI/480 SC2T1	
1	TRIPP LITE POWER PROTECTION - 8 PLUG UPS	
1	T-BERD 107A TI MONITOR UNIT	
1	ALL NECESSARY NETWORK CABLING AND WIRING	
1	CPU HP PAV 8565C P3/500 20/128/40X/CDRW/56K	1,432.25
1	MEM PUSER DIMM 128MB SDRAM PC100 16X64 100 MH	309.90
1	MSFT WIN NT SERVER 4 W/5 CALS, OPTION + SERV	665.00
1	MON OPTIQ Q71-3 .27MM 1280X1024@65Hz	269.75
1	CPU HP PAV 8565C P3/500 20/128/40X/CDRW/56K	1,433.45
4	DRY WALL BRACKETS	761.45
2	BP-ICP14-2-00A14 SLOTS (4 PCI/1 CPU/9 ISA)	265.00
4	RACK MOUNT PENTIUM SYSTEM (Total includes next 13 lines)	7,946.00
	4 PENTIUM 370 CELERON 333 MHZ	
	4 CELERON 400 MHZ CPU SOCKET 3	
	4 LOW PROFILE ACTIVE COOLER	
	8 128MB (16X64) - 7/8ns 168 Pin	
-	4 BP-ICP14-2-00A14 SLOTS (4 PCI/1 CPU/9 ISA)	
	4 TEAC FD235HFA291 1.44 MB	
	4 TOSHIBA CD ROM DRIVE 48	
	4 BLACK FRONT BEZEL FOR TOSHIBA	
	8 WESTERN DIGITAL 4.3 GB EIDE	
	4 5U, H/S, P/S, 14 SLOT, 1-3.5	
	8 300W H/S P/S FOR (H) SERIES	
	4 H/ P/S COMBINER BOARD APRE	-
	4 DRIVE BAY COVER 5.25 W/GROM	
12	82 CFM FAN FOR APRE-5000 SE	180.00
12		180.00

4	300 W AT PS2 PS [SPI-300G-B]	580.00
6	300 W ATX SINGLE PS	330.00
4	D/240SC - 2 T1 ASSY	16,902.00
2	D/480SC - 2 TI ASSY	12,654.00
1	48VDC, 10 AMP POWER SUPPLY	572.00
1	AGM-25 23" SHELVES - 48 VOLT, 22.4 AMP W/LOAD DIST, ADV ALARM &	630.00
	CENTRAL FEATURES	
1	HFM48AC7.5 RECTIFIER - 48 VOLT, 7.5 AMP	1,451.82
4	LIBERTY 1000 BATTERIES	540.00
1	BATTERY TRAY	164.33
1	BREAKER BOX	40.00
1	SMARTUP RACKMOUNT	1,411.38
1	DIALOGIC BOARD	2,020.00

904521.1